ELSEVIER

Gene Structure and Expression

Vol. 1218, 1994

BBA Biochimica et Biophysica Acta

Author Index

Adachi, T., see Kodama, H. (1218) 163
Adesnik, M., see Shaw, P.M. (1218) 242
Ahn, K.-S. and Henney, Jr., H.R.
An *Acanthamoeba* ubiquitin-fusion protein; cDNA and deduced protein sequence (1218) 109
Alejandro, R., see Milde, K.F. (1218) 112
Alexander, R.W., see Venema, R.C. (1218) 413
Almqvist, M., see Geng, Y.-j. (1218) 421
Amons, R., Guerrucci, M.-A., Karssies, R.H., Morales, J., Cormier, P., Möller, W. and Bellé, R.
The leucine-zipper in elongation factor EF-1δ, a guanine-nucleotide exchange protein, is conserved in *Artemia* and *Xenopus* (1218) 346
Arquint, M. and Spencer, J.H.
Mapping of RNA polymerase binding sites in the H/A gene region of bacteriophage S13 by footprinting and exonuclease III analysis (1218) 339
Arz, H.E., Gisselmann, G., Schiffmann, S. and Schwenn, J.D.
A cDNA for adenylyl sulphate (APS)-kinase from *Arabidopsis thaliana* (1218) 447
Asai, K., see Kodama, H. (1218) 163
Assinder, S.J., see Walsh, T.R. (1218) 199
Atsuchi, Y., Yamana, K., Yatsuki, H., Hori, K., Ueda, S. and Shiokawa, K.
Cloning of a brain-type aldolase cDNA and changes in its mRNA level during oogenesis and early embryogenesis in *Xenopus laevis* (1218) 153
Avichezer, D., Gilboa-Garber, N., Garber, N.C. and Katcoff, D.J.
Pseudomonas aeruginosa PA-I lectin gene molecular analysis and expression in *Escherichia coli* (1218) 11

Baas, P.D., see Van Oers, C.C.M. (1218) 55
Bailey, C.J., see Robinson, G.A. (1218) 432
Bain, G., see Murre, C. (1218) 129
Bakker, L., see Van Oers, C.C.M. (1218) 55
Bandlow, W., see Magdolen, V. (1218) 205
Barker, H.L., Perry, A.C.F., Jones, R. and Hall, L.
Sequence and expression of a monkey testicular transcript encoding tMDC I, a novel member of the metalloproteinase-like, disintegrin-like, cysteine-rich (MDC) protein family (1218) 429
Barnard, G.F., Staniunas, R.J., Puder, M., Steele, Jr., G.D. and Chen, L.B.
Human ribosomal protein L37 has motifs predicting serine/threonine phosphorylation and a zinc-finger domain (1218) 425
Basheeruddin, K., Rechtoris, C. and Mazzone, T.
Evaluation of the role of Ap1-like proteins in the enhanced apolipoprotein E gene transcription accompanying phorbol ester induced macrophage differentiation (1218) 235
Baumgärtner, B., Heiland, S., Kunze, N., Richter, A. and Knippers, R.
Conserved regulatory elements in the type I DNA topoisomerase gene promoters of mouse and man (1218) 123
Bellé, R., see Amons, R. (1218) 346
Bennett, P.M., see Walsh, T.R. (1218) 199
Bolton, W.K., see Feinstein, R. (1218) 82
Braun, H.-P., Emmermann, M., Mentzel, H. and Schmitz, U.K.
Primary structure and expression of a gene encoding the cytosolic ribosomal protein S4 from potato (1218) 435
Braun, R., see Glauser, A. (1218) 99
Buchanan, S.G.S.C., see Ntwasa, M. (1218) 181
Buchanan, S.G.S.C., see Ntwasa, M. (1218) 210

Cairns, M.J. and Murray, V.
Comparison of the sequence specificity of *cis*-diamminedichloroplatinum (II) damage in guanine- and 7-deazaguanine-containing DNA (1218) 315
Calothy, G., see Yatsula, B.A. (1218) 473
Capobianco, A.J., see Feinstein, R. (1218) 82
Cartwright, S.J., see Walsh, T.R. (1218) 199
Chapdelaine, P., see Gauthier, E.R. (1218) 102
Chegini, N., see Kerr, M. (1218) 375
Chen, L.B., see Barnard, G.F. (1218) 425
Chen, S., see Wang, J. (1218) 48
Cormier, P., see Amons, R. (1218) 346
Cotgreave, I.A., see Gasdaska, P.Y. (1218) 292
Croizier, G., see Croizier, L. (1218) 457
Croizier, L. and Croizier, G.
Nucleotide sequence of the polyhedrin gene of *Spodoptera littoralis* multiple nucleocapsid nuclear polyhedrosis virus (1218) 457

Damante, G. and Di Lauro, R.
Thyroid-specific gene expression (1218) 255
Davies, N. and Lindsey, G.G.
Histone H2B (and H2A) ubiquitination allows normal histone octamer and core particle reconstitution (1218) 187
Day, I.S. and Reddy, A.S.N.
Cloning of a family of cyclins from *Arabidopsis thaliana* (1218) 115
Destrée, O.H.J., see Gao, X. (1218) 194
Dézelée, P., see Yatsula, B.A. (1218) 473
Dihanich, M. and Spiess, M.
A novel serine proteinase-like sequence from human brain (1218) 225
Di Lauro, R., see Damante, G. (1218) 255
Doi, H., see Kutsukake, K. (1218) 443
Don, R.H., see Spring, K.J. (1218) 158
Dowds, B.C.A., see Robinson, G.A. (1218) 432
Dubé, J.Y., see Gauthier, E.R. (1218) 102
Dumas, C., see Gauthier, E.R. (1218) 102

Emmermann, M., see Braun, H.-P. (1218) 435
Engel, I., see Murre, C. (1218) 129

Fallon, A.M., see Lan, Q. (1218) 460
Fauconneau, B., see Rescan, P.-Y. (1218) 202
Faxén, M., Walles-Granberg, A. and Isaksson, L.A.
Antisuppression by a mutation in *rpsM*(S13) giving a shortened ribosomal protein S13 (1218) 27
Fehér, Z. and Mishra, N.C.
Aphidicolin-resistant Chinese hamster ovary cells possess altered DNA polymerases of the α-family (1218) 35
Feinstein, R., Bolton, W.K., Quinones, J.N., Mosialos, G., Sif, S., Huff, J.L., Capobianco, A.J. and Gilmore, T.D.
Characterization of a chicken cDNA encoding the retinoblastoma gene product (1218) 82

Feng, J.Q., Harris, M.A., Ghosh-Choudhury, N., Feng, M., Mundy, G.R. and Harris, S.E.
Structure and sequence of mouse bone morphogenetic protein-2 gene (BMP-2): comparison of the structures and promoter regions of BMP-2 and BMP-4 genes (1218) 221
Feng, M., see Feng, J.Q. (1218) 221
Fernández-González, B., see Martínez-Férez, I. (1218) 145
Fernando, M.R., Sumimoto, H., Nanri, H., Kawabata, S.-i., Iwanaga, S., Minakami, S., Fukumaki, Y. and Takeshige, K.
Cloning and sequencing of the cDNA encoding human glutaredoxin (1218) 229
Fischer, J.E., see Kerr, M. (1218) 375
Fox, K.R., see Stonehouse, T.J. (1218) 322
Fuchs, J.A., see Lim, C.-J. (1218) 250
Fujino, M., see Miyamoto, Y. (1218) 297
Fukumaki, Y., see Fernando, M.R. (1218) 229
Furnari, B.A., see Murre, C. (1218) 129
Futami, J.-i., see Seno, M. (1218) 466

Gao, D., see Kerr, M. (1218) 375
Gao, X., Kalkhoven, E., Peterson-Maduro, J., Van der Burg, B. and Destrée, O.H.J.
Expression of the glucocorticoid receptor gene is regulated during early embryogenesis of *Xenopus laevis* (1218) 194
Garber, N.C., see Avichezer, D. (1218) 11
Gasdaska, P.Y., Oblong, J.E., Cotgreave, I.A. and Powis, G.
The predicted amino acid sequence of human thioredoxin is identical to that of the autocrine growth factor human adult T-cell derived factor (ADF): thioredoxin mRNA is elevated in some human tumors (1218) 292
Gauthier, E.R., Dumas, C., Chapdelaine, P., Tremblay, R.R. and Dubé, J.Y.
Characterization of canine pancreas kallikrein cDNA (1218) 102
Gauvry, L., see Rescan, P.-Y. (1218) 202
Gay, N.J., see Ntwasa, M. (1218) 181
Gay, N.J., see Ntwasa, M. (1218) 210
Geng, Y.-j., Almqvist, M. and Hansson, G.K.
cDNA cloning and expression of inducible nitric oxide synthase from rat vascular smooth muscle cells (1218) 421
Ghanta, V., see Kerr, M. (1218) 375
Ghosh-Choudhury, N., see Feng, J.Q. (1218) 221
Gilboa-Garber, N., see Avichezer, D. (1218) 11
Gilmore, T.D., see Feinstein, R. (1218) 82
Gisselmann, G., see Arz, H.E. (1218) 447
Glauser, A. and Braun, R.
TUBIS, a fossilized retroposon in the tubulin gene cluster of *Trypanosoma brucei* (1218) 99
Goswami, R., see Lacson, R. (1218) 95
Gough, N.R., see Randall, W.R. (1218) 453
Gromo, G., see Monzini, N. (1218) 478
Grossman, Z., see Markovics, A. (1218) 273
Guerrucci, M.-A., see Amons, R. (1218) 346
Guo, D.-F. and Inagami, T.
The genomic organization of the rat angiotensin II receptor AT_{1B} (1218) 91

Habata, Y., see Miyamoto, Y. (1218) 297
Hall, L., see Barker, H.L. (1218) 429
Hall, L., see Walsh, T.R. (1218) 199
Hamilton, J., see Stennard, F.A. (1218) 357
Hansson, G.K., see Geng, Y.-j. (1218) 421
Harris, M.A., see Feng, J.Q. (1218) 221
Harris, S.E., see Feng, J.Q. (1218) 221
Harrison, D.G., see Venema, R.C. (1218) 413
Hayashi, K., see Kodama, H. (1218) 163
Hayashi, T., Noga, M. and Matsuda, M.
Nucleotide sequence and expression of the rat polyubiquitin mRNA (1218) 232
Heiland, S., see Baumgärtner, B. (1218) 123
Henney, Jr., H.R., see Ahn, K.-S. (1218) 109
Hermann, H., see Magdolen, V. (1218) 205
Hiramato, R., see Kerr, M. (1218) 375
Hirano, K., see Kodama, H. (1218) 163
Holloway, A.F., see Stennard, F.A. (1218) 357
Hori, K., see Atsuchi, Y. (1218) 153
Hosaka, H., Sakabe, I., Sakamoto, K., Niimi, T., Yokoyama, S. and Takaku, H.
Characterization of the secondary structure of an oligonucleotide corresponding to the autocleavage site of a precursor RNA from bacteriophage T4 (1218) 351
Huff, J.L., see Feinstein, R. (1218) 82
Humphreys-Beher, M.G., see Kerr, M. (1218) 375
Hwang, W., see Lim, C.-J. (1218) 250

Ichishima, E., see Matsumoto, K. (1218) 469
Ikeda, M., see Su, Z.-H. (1218) 366
Imai, K., see Su, Z.-H. (1218) 366
Inagami, T., see Guo, D.-F. (1218) 91
Isaksson, L.A., see Faxén, M. (1218) 27
Ishizaka, N., Okazaki, H., Kurokawa, K., Kumada, M. and Takuwa, Y.
Molecular cloning of a novel putative G protein-coupled receptor from rat aortic smooth muscle. Downregulation of the mRNA level by the cyclic AMP messenger pathway (1218) 173
Isobe, M., see Su, Z.-H. (1218) 366
Iwanaga, S., see Fernando, M.R. (1218) 229
Izumi, S., see Nakato, H. (1218) 64
Izumi, S., see Yano, K.-i. (1218) 1

Johansen, S. and Johansen, T.
Sequence analysis of 12 structural genes and a novel non-coding region from mitochondrial DNA of Atlantic cod, *Gadus morhua* (1218) 213
Johansen, T., see Johansen, S. (1218) 213
Jones, R., see Barker, H.L. (1218) 429
Jönsson, L. and Nyman, P.O.
Tandem lignin peroxidase genes of the fungus *Trametes versicolor* (1218) 408

Kalkhoven, E., see Gao, X. (1218) 194
Karssies, R.H., see Amons, R. (1218) 346
Katcoff, D.J., see Avichezer, D. (1218) 11
Kawabata, S.-i., see Fernando, M.R. (1218) 229
Kerr, M., Fischer, J.E., Purushotham, K.R., Gao, D., Nakagawa, Y., Maeda, N., Ghanta, V., Hiramato, R., Chegini, N. and Humphreys-Beher, M.G.
Characterization of the synthesis and expression of the GTA-kinase from transformed and normal rodent cells (1218) 375
King, D., see Saban, J. (1218) 87
Knippers, R., see Baumgärtner, B. (1218) 123
Kodama, H., Asai, K., Adachi, T., Mori, Y., Hayashi, K., Hirano, K. and Stigbrand, T.
Expression of a heterodimeric (placental-intestinal) hybrid alkaline phosphatase in KB cells (1218) 163
Kosaka, M., see Seno, M. (1218) 466
Koyasu, N., see Nishimatsu, S.-i. (1218) 401
Kumada, M., see Ishizaka, N. (1218) 173
Kunze, N., see Baumgärtner, B. (1218) 123
Kurahashi, A., see Ogata, K. (1218) 388
Kurokawa, K., see Ishizaka, N. (1218) 173
Kutsukake, K. and Doi, H.
Nucleotide sequence of the *flgD* gene of *Salmonella typhimurium* which is essential for flagellar hook formation (1218) 443

Lacson, R., Oehler, D., Yang, E., Goswami, R. and Unterman, T.
Dideoxy sequencing and structural analysis of the rat insulin-like growth factor binding protein-1 gene (1218) 95

Lan, Q., Niu, L.L. and Fallon, A.M.
Mosquito ribosomal protein rpL31 resembles rat rpL34: cDNA and deduced amino acid sequence (1218) 460
Lang, P., see Magdolen, V. (1218) 205
Lantner, F., see Markovics, A. (1218) 273
Legname, G., see Monzini, N. (1218) 478
Lemberger, T., see Orsat, B. (1218) 75
Lim, C.-J., Hwang, W., Park, E.-H. and Fuchs, J.A.
Cyclic AMP-dependent expression of the *Escherichia coli serC-aroA* operon (1218) 250
Lindsey, G.G., see Davies, N. (1218) 187

MacGowan, A.P., see Walsh, T.R. (1218) 199
Maeda, N., see Kerr, M. (1218) 375
Maekawa, S., Matsuura, Y. and Nakamura, S.
Expression and myristoylation of NAP-22 using a Baculovirus transfer vector system (1218) 119
Magdolen, V., Lang, P., Mages, G., Hermann, H. and Bandlow, W.
The gene *LEO1* on yeast chromosome XV encodes a non-essential, extremely hydrophilic protein (1218) 205
Mages, G., see Magdolen, V. (1218) 205
Marc-Martin, S., see Orsat, B. (1218) 75
Marcucci, F., see Monzini, N. (1218) 478
Marklew, S., Smith, D.P., Mason, C.S. and Old, R.W.
Isolation of a novel RXR from *Xenopus* that most closely resembles mammalian RXRβ and is expressed throughout early development (1218) 267
Markovics, A., Ram, D., Grossman, Z., Ziv, E., Lantner, F. and Schechter, I.
Cloning and characterization of the SmIMP25 integral membrane protein of the parasitic helminth *Schistosoma mansoni* (1218) 273
Martínez-Férez, I., Fernández-González, B., Sandmann, G. and Vioque, A.
Cloning and expression in *Escherichia coli* of the gene coding for phytoene synthase from the cyanobacterium *Synechocystis* sp. PCC6803 (1218) 145
Marzluff, W.F., see Sakallah, S.A. (1218) 439
Mason, C.S., see Marklew, S. (1218) 267
Massari, M.E., see Murre, C. (1218) 129
Masuda, Y., see Miyamoto, Y. (1218) 297
Matsuda, M., see Hayashi, T. (1218) 232
Matsumoto, K., Yamaguchi, M. and Ichishima, E.
Molecular cloning and nucleotide sequence of the complementary DNA for penicillolysin gene, *plnC*, an 18 kDa metalloendopeptidase gene from *Penicillium citrinum* (1218) 469
Matsumoto, T., see Sugano, Y. (1218) 105
Matsuura, Y., see Maekawa, S. (1218) 119
Matthews, J.R., see Murre, C. (1218) 129
Mattick, J.S., see Spring, K.J. (1218) 158
Mazzone, T., see Basheeruddin, K. (1218) 235
Mentzel, H., see Braun, H.-P. (1218) 435
Miaskiewicz, K., Miller, J. and Osman, R.
Energetic basis for structural preferences in 5/6-hydroxy-5,6-dihydropyrimidines: products of ionizing and ultraviolet radiation action on DNA bases (1218) 283
Michailik, A.A., see Yatsula, B.A. (1218) 473
Milde, K.F., Alejandro, R., Mintz, D.H. and Pastori, R.L.
Molecular cloning of the canine CD44 antigen cDNA (1218) 112
Miller, J., see Miaskiewicz, K. (1218) 283
Minakami, S., see Fernando, M.R. (1218) 229
Mintz, D.H., see Milde, K.F. (1218) 112
Mishra, N.C., see Fehér, Z. (1218) 35
Miyamoto, Y., Habata, Y., Ohtaki, T., Masuda, Y., Ogi, K., Onda, H. and Fujino, M.
Cloning and expression of a complementary DNA encoding the bovine receptor for pituitary adenylate cyclase-activating polypeptide (PACAP) (1218) 297
Miyazaki, H., see Nishimatsu, S.-i. (1218) 401
Modena, D., see Monzini, N. (1218) 478
Möller, W., see Amons, R. (1218) 346
Monzini, N., Legname, G., Marcucci, F., Gromo, G. and Modena, D.
Identification and cloning of human chaperonin 10 homologue (1218) 478
Morales, J., see Amons, R. (1218) 346
Mori, Y., see Kodama, H. (1218) 163
Mosialos, G., see Feinstein, R. (1218) 82
Mundy, G.R., see Feng, J.Q. (1218) 221
Murakami, K., see Nishimatsu, S.-i. (1218) 401
Murphy, T.J., see Venema, R.C. (1218) 413
Murray, V., see Cairns, M.J. (1218) 315
Murre, C., Bain, G., Van Dijk, M.A., Engel, I., Furnari, B.A., Massari, M.E., Matthews, J.R., Quong, M.W., Rivera, R.R. and Stuiver, M.H.
Structure and function of helix-loop-helix proteins (1218) 129

Nakagawa, Y., see Kerr, M. (1218) 375
Nakamura, S., see Maekawa, S. (1218) 119
Nakato, H., Shofuda, K.-i., Izumi, S. and Tomino, S.
Structure and developmental expression of a larval cuticle protein gene of the silkworm, *Bombyx mori* (1218) 64
Nanri, H., see Fernando, M.R. (1218) 229
Nekhai, S.A. and Saminsky, E.M.
On the binding of isolated yeast $tRNA^{Phe}$ anticodon arm to *Escherichia coli* 30S and 70S ribosomes. Guanosine-42 is important for the binding (1218) 21
Nekhai, S.A., Parfenov, D.V. and Saminsky, E.M.
tRNA regions which contact with the ribosomal poly(U)-programmed P-site (1218) 481
Nichols, W.W., see Walsh, T.R. (1218) 199
Niimi, T., see Hosaka, H. (1218) 351
Nishida, K., see Venema, R.C. (1218) 413
Nishimatsu, S.-i., Koyasu, N., Sugaya, T., Ohnishi, J., Yamagishi, T., Murakami, K. and Miyazaki, H.
Isolation and characterization of two alternatively spliced complementary DNAs encoding a *Xenopus laevis* angiotensin II receptor (1218) 401
Nishiyama, C., see Ogata, K. (1218) 388
Niu, L.L., see Lan, Q. (1218) 460
Noga, M., see Hayashi, T. (1218) 232
Noma, M., see Sugano, Y. (1218) 105
Norton, D.R., see Sakallah, S.A. (1218) 439
Ntwasa, M., Buchanan, S.G.S.C. and Gay, N.J.
Drosophila ribosomal protein L18a: cDNA sequence, expression and chromosomal localization of the gene (1218) 210
Ntwasa, M., Buchanan, S.G.S.C. and Gay, N.J.
Sequence and expression of LRR47, a novel embryonic leucine rich repeat protein of *Drosophila* (1218) 181
Nyman, P.O., see Jönsson, L. (1218) 408

Oblong, J.E., see Gasdaska, P.Y. (1218) 292
Oehler, D., see Lacson, R. (1218) 95
Ogata, K., Kurahashi, A., Nishiyama, C. and Terao, K.
Presence and role of the 5SrRNA-L5 protein complex (5SRNP) in the threonyl- and histidyl-tRNA synthetase complex in rat liver cytosol (1218) 388
Ogi, K., see Miyamoto, Y. (1218) 297
Ohnishi, J., see Nishimatsu, S.-i. (1218) 401
Ohtaki, T., see Miyamoto, Y. (1218) 297
Okazaki, H., see Ishizaka, N. (1218) 173
Old, R.W., see Marklew, S. (1218) 267
Onda, H., see Miyamoto, Y. (1218) 297
Orsat, B., Spielmann, A., Marc-Martin, S., Lemberger, T. and Stutz, E.
Analysis of the 22 kbp long *psb*D-*psb*C gene cluster of *Euglena gracilis* chloroplast DNA: evidence for overlapping transcription units undergoing differential processing (1218) 75
Osman, R., see Miaskiewicz, K. (1218) 283

Paboeuf, G., see Rescan, P.-Y. (1218) 202
Papaconstantinou, J., see Rabek, J.P. (1218) 136
Parfenov, D.V., see Nekhai, S.A. (1218) 481
Park, E.-H., see Lim, C.-J. (1218) 250
Pascual, A. and Vioque, A.
Sequence and structure of the RNA subunit of RNase P from the cyanobacterium *Pseudoanabaena* sp. PCC6903 (1218) 463
Pastori, R.L., see Milde, K.F. (1218) 112
Perry, A.C.F., see Barker, H.L. (1218) 429
Peterson-Maduro, J., see Gao, X. (1218) 194
Powis, G., see Gasdaska, P.Y. (1218) 292
Puder, M., see Barnard, G.F. (1218) 425
Purushotham, K.R., see Kerr, M. (1218) 375

Quinones, J.N., see Feinstein, R. (1218) 82
Quong, M.W., see Murre, C. (1218) 129

Rabek, J.P., Zhang, D.-E., Torres-Ramos, C.A. and Papaconstantinou, J.
Analysis of the mechanism of glucocorticoid-mediated down regulation of the mouse α-fetoprotein gene (1218) 136
Ram, D., see Markovics, A. (1218) 273
Randall, W.R., Rimer, M. and Gough, N.R.
Cloning and analysis of chicken acetylcholinesterase transcripts from muscle and brain (1218) 453
Rechtoris, C., see Basheeruddin, K. (1218) 235
Reddy, A.S.N., see Day, I.S. (1218) 115
Rescan, P.-Y., Gauvry, L., Paboeuf, G. and Fauconneau, B.
Identification of a muscle factor related to MyoD in a fish species (1218) 202
Richter, A., see Baumgärtner, B. (1218) 123
Rimer, M., see Randall, W.R. (1218) 453
Ringuette, M.J. and Spencer, J.H.
Mapping the initiation sites of in vitro transcripts of bacteriophage S13 (1218) 331
Rivera, R.R., see Murre, C. (1218) 129
Robinson, G.A., Bailey, C.J. and Dowds, B.C.A.
Gene structure and amino acid sequences of alcohol dehydrogenases of *Bacillus stearothermophilus* (1218) 432
Russell, A.L., see Sper-Whitis, G.L. (1218) 218
Rynditch, A.V., see Yatsula, B.A. (1218) 473

Saban, J. and King, D.
Sequence of the sheep fetal β globin gene and flanking region (1218) 87
Saito, H., see Su, Z.-H. (1218) 366
Sakabe, I., see Hosaka, H. (1218) 351
Sakallah, S.A., Norton, D.R., Zhang, W. and Marzluff, W.F.
Isolation and characterization of the tandemly repeated U6 genes from the sea urchin *Strongylocentrotus purpuratus* (1218) 439
Sakamoto, K., see Hosaka, H. (1218) 351
Sakurai, M.T., see Yano, K.-i. (1218) 1
Saminsky, E.M., see Nekhai, S.A. (1218) 21
Saminsky, E.M., see Nekhai, S.A. (1218) 481
Sandmann, G., see Martínez-Férez, I. (1218) 145
Sato, Y., see Su, Z.-H. (1218) 366
Schechter, I., see Markovics, A. (1218) 273
Schiffmann, S., see Arz, H.E. (1218) 447
Schmitz, U.K., see Braun, H.-P. (1218) 435
Schwenn, J.D., see Arz, H.E. (1218) 447
Seno, M., Futami, J.-i., Kosaka, M., Seno, S. and Yamada, H.
Nucleotide sequence encoding human pancreatic ribonuclease (1218) 466
Seno, S., see Seno, M. (1218) 466
Shaw, P.M. and Adesnik, M.
Sequence and activity of the rat PB-inducible aldehyde dehydrogenase promoter (1218) 242
Shiokawa, K., see Atsuchi, Y. (1218) 153
Shofuda, K.-i., see Nakato, H. (1218) 64
Sif, S., see Feinstein, R. (1218) 82
Smith, D.P., see Marklew, S. (1218) 267
Spencer, J.H., see Arquint, M. (1218) 339
Spencer, J.H., see Ringuette, M.J. (1218) 331
Sper-Whitis, G.L., Russell, A.L. and Vaughn, J.C.
Mitochondrial RNA editing of cytochrome *c* oxidase subunit II (*coxII*) in the primitive vascular plant *Psilotum nudum* (1218) 218
Spielmann, A., see Orsat, B. (1218) 75
Spiess, M., see Dihanich, M. (1218) 225
Spring, K.J., Mattick, J.S. and Don, R.H.
Escherichia coli gpt as a positive and negative selectable marker in embryonal stem cells (1218) 158
Staniunas, R.J., see Barnard, G.F. (1218) 425
Steele, Jr., G.D., see Barnard, G.F. (1218) 425
Stennard, F.A., Holloway, A.F., Hamilton, J. and West, A.K.
Characterisation of six additional human metallothionein genes (1218) 357
Stigbrand, T., see Kodama, H. (1218) 163
Stonehouse, T.J. and Fox, K.R.
DNase I footprinting of triple helix formation at polypurine tracts by acridine-linked oligopyrimidines: stringency, structural changes and interaction with minor groove binding ligands (1218) 322
Stroumbakis, N.D. and Tolias, P.P.
Localized maternal and zygotic expression of the gene encoding *Drosophila* HMG D (1218) 245
Stuiver, M.H., see Murre, C. (1218) 129
Stutz, E., see Orsat, B. (1218) 75
Su, Z.-H., Ikeda, M., Sato, Y., Saito, H., Imai, K., Isobe, M. and Yamashita, O.
Molecular characterization of ovary trehalase of the silkworm, *Bombyx mori* and its transcriptional activation by diapause hormone (1218) 366
Sugano, Y., Matsumoto, T. and Noma, M.
Sequence analysis of the *agaB* gene encoding a new β-agarase from *Vibrio* sp. strain JT0107 (1218) 105
Sugaya, T., see Nishimatsu, S.-i. (1218) 401
Sumimoto, H., see Fernando, M.R. (1218) 229

Takaku, H., see Hosaka, H. (1218) 351
Takeshige, K., see Fernando, M.R. (1218) 229
Takuwa, Y., see Ishizaka, N. (1218) 173
Terao, K., see Ogata, K. (1218) 388
Tolias, P.P., see Stroumbakis, N.D. (1218) 245
Tomino, S., see Nakato, H. (1218) 64
Tomino, S., see Yano, K.-i. (1218) 1
Torres-Ramos, C.A., see Rabek, J.P. (1218) 136
Tremblay, R.R., see Gauthier, E.R. (1218) 102

Ueda, S., see Atsuchi, Y. (1218) 153
Unterman, T., see Lacson, R. (1218) 95

Van der Burg, B., see Gao, X. (1218) 194
Van Dijk, M.A., see Murre, C. (1218) 129
Van Dyke, M.W., see Wang, J.C. (1218) 308
Van Oers, C.C.M., Bakker, L. and Baas, P.D.
The exon 4 poly(A) site of the human calcitonin/CGRP-I pre-mRNA is a weak site in vitro (1218) 55
Vaughn, J.C., see Sper-Whitis, G.L. (1218) 218
Venema, R.C., Nishida, K., Alexander, R.W., Harrison, D.G. and Murphy, T.J.
Organization of the bovine gene encoding the endothelial nitric oxide synthase (1218) 413
Vioque, A., see Martínez-Férez, I. (1218) 145
Vioque, A., see Pascual, A. (1218) 463

Walles-Granberg, A., see Faxén, M. (1218) 27
Walsh, T.R., Hall, L., Assinder, S.J., Nichols, W.W., Cartwright, S.J., MacGowan, A.P. and Bennett, P.M.

Sequence analysis of the L1 metallo-β-lactamase from *Xanthomonas maltophilia* (1218) 199
Wang, J. and Chen, S.
Induction of aromatase gene expression in human placental choriocarcinoma (JAR) cells by phorbol esters (1218) 48
Wang, J.C. and Van Dyke, M.W.
Sp1, USF, and GAL4 activate transcription independently of TFIID-downstream promoter interactions (1218) 308
Watabe, S., see Yano, K.-i. (1218) 1
West, A.K., see Stennard, F.A. (1218) 357

Yamada, H., see Seno, M. (1218) 466
Yamagishi, T., see Nishimatsu, S.-i. (1218) 401
Yamaguchi, M., see Matsumoto, K. (1218) 469
Yamana, K., see Atsuchi, Y. (1218) 153
Yamashita, O., see Su, Z.-H. (1218) 366
Yang, E., see Lacson, R. (1218) 95
Yano, K.-i., Sakurai, M.T., Watabe, S., Izumi, S. and Tomino, S.
Structure and expression of mRNA for vitellogenin in *Bombyx mori* (1218) 1
Yatsuki, H., see Atsuchi, Y. (1218) 153
Yatsula, B.A., Michailik, A.A., Rynditch, A.V., Calothy, G. and Dézelée, P.
The 3′ region of c-*src* gene mRNA is entirely included in exon 12 and does not encode another protein (1218) 473
Yokoyama, S., see Hosaka, H. (1218) 351

Zhang, D.-E., see Rabek, J.P. (1218) 136
Zhang, W., see Sakallah, S.A. (1218) 439
Ziv, E., see Markovics, A. (1218) 273